

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

GIFFORD, KRASS, GROH, SPRINKLE, PATMORE,
ANDERSON & CITKOWSKI, P.C.
280 North Old Woodward Avenue, Suite 400
Birmingham, Michigan 48009-5394

(248) 647-6000
FACSIMILE (248) 647-5210
info@patlaw.com

jtl

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE


Applicant William Paul Attorney Docket: PWL-10002/15
Serial No. 10/728,271
Filed:: December 4, 2003
For: FLOOR AND CEILING RECEIVING TRACKS FOR SEATING METAL
AND WOOD STUDS AND THE LIKE AND WHICH IN PARTICULAR
INCLUDE SPACED-APART PUNCH HOLES ALONG FIRST AND SECOND
SIDES STHEREOF.

TO: Office of Initial Patent Examination FAX
FROM: Douglas J. McEvoy
PAGES: 3 (including cover sheet)

DOCUMENT(S) BEING FAXED REQUEST FOR CORRECTED FILING RECEIPT

CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that this document for Serial Number 10/728,271 is being facsimile
transmitted to Before/After Final Official facsimile number (703) 746-9195, on April 6, 2004.


Judith T. Lange

Information contained in this facsimile may be PRIVILEGED and CONFIDENTIAL. It is intended only for the use of the person or entity named
above. If you are not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is neither
intended nor permissible. If this facsimile has been received in error, please notify us immediately (call collect) and return the facsimile to us.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: William Paul

Attorney Docket: PWL-10002/15

Serial No.: 10/728,271

Filed: December 4, 2003


For: FLOOR AND CEILING RECEIVING TRACKS FOR SEATING METAL AND
WOOD STUDS AND THE LIKE AND WHICH IN PARTICULAR INCLUDE SPACED-
APART PUNCH HOLES ALONG FIRST AND SECOND SIDES THEREOFREQUEST FOR CORRECTED FILING RECEIPTAttn. Office of Initial Patent Examination
Customer Service Center
P. O. Box 1450
Alexandria, VA 22313

Dear Sir:

Applicant in the above-identified patent application respectfully requests a corrected Filing Receipt as indicated on a copy of the Filing Receipt attached hereto.

If any fees or charges are necessary, please charge them to our Deposit Account No. 07-1180. If the Examiner has any further questions relating to this application, Applicant's attorney may be reached at (248) 647-6000.


Respectfully submitted,



Douglas J. McEvoy, Reg. No. 34,385
Attorney for Applicant
Gifford, Krass, Gron, Sprinkle,
Anderson & Citkowski, P.C.
280 N. Old Woodward Ave., Ste. 400
Birmingham, MI 48009-5394
(248) 647-6000

CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that this document for Application Serial Number 10/728,271 is being facsimile transmitted to the Patent and Trademark Office fax number (703) 746-9195. Attention Office of Initial Patent Examination, on April 6, 2004.





UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
 United States Patent and Trademark Office
 Address: COMMISSIONER FOR PATENTS
 P.O. Box 1459
 Alexandria, Virginia 22313-1450
 www.uspto.gov

APPL NO.	FILING OR 371 (c) DATE	ART UNIT	FIL FEE REC'D	ATTY. DOCKET NO	DRAWINGS	TOT CLMS	IND CLMS
10/728,271	12/04/2003	3635	385	PWL-10602/15 PWL-10002/15	3	17	3

CONFIRMATION NO. 7120

25006
 GIFFORD, KRASS, GROH, SPRINKLE
 ANDERSON & CITKOWSKI, PC
 280 N OLD WOODARD AVE
 SUITE 400
 BIRMINGHAM, MI 48009

FILING RECEIPT

10000000012044577*
 OC000000012044577

Date Mailed: 03/09/2004

Receipt is acknowledged of this regular Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Filing Receipt Corrections, facsimile number 703-746-9195. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

William Paul, Waterford Township, MI;

Domestic Priority data as claimed by applicant

Foreign Applications

If Required, Foreign Filing License Granted: 03/05/2004

Projected Publication Date: 06/09/2005

Non-Publication Request: No

Early Publication Request: No

** SMALL ENTITY **

Title

Floor and ceiling receiving tracks for seating metal and wood studs and the like and which in particular include spaced-apart punch holes along first and second sides thereof

RECEIVED
 MAR 11 2004
 GIFFORD, KRASS, GROH, SPRINKLE,
 ANDERSON & CITKOWSKI, P.C.